



# **Triumph® Professional Pellet**

<u>Product Purpose</u>: This feed is nutritionally balanced pelleted feed for a wide variety of life stages.

#### **Product Features:**

- Controlled starch formula with prebiotics for healthy digestion
- Lysine and Methionine support muscle development and recovery
- Organic trace minerals and biotin support quality hooves and hair coats

#### **Feeding Directions:**

The following feeding directions are guidelines to maintain desired body condition and performance. Feeding rates need to be adjusted according to the horse's body condition and activity level. Divide the recommended daily feeding rate into 2 or more meals per day and feed with good quality hay or pasture equivalent at the rate of 1.0-1.75 LB per 100 LB bodyweight or kg per 100 kg bodyweight to provide a minimum of 50% of the diet from forage. Performance horses may benefit from being fed more frequently.

Feed Amounts Per Day Per Bodyweight	
Maintenance Horses	0.25-0.45 lbs. per 100 lbs.
Performance Horses	
Light Exercise	0.40-0.65 lbs. per 100 lbs.
Moderate Exercise	0.65-0.90 lbs. per 100 lbs.
Intense Exercise	0.90-1.50 lbs. per 100 lbs.
Pregnant Mares	
First two Trimesters	0.20-0.45 lbs. per 100 lbs.
Last Trimester	0.40-0.65 lbs. per 100 lbs.
Lactating Mares	
Early Lactation	0.90-1.50 lbs. per 100 lbs.
Late Lactation	0.65-0.90 lbs. per 100 lbs.
Stallions	0.50-0.75 lbs. per 100 lbs.
Growing Horses	
Foals	Creep Feed
Weanlings	1.30-1.80 lbs. per 100 lbs.
Yearlings	0.65-1.50 lbs. per 100 lbs.

Please refer to the product tag on bag for ingredient list, complete feeding directions, date code, lot number and most up-to-date guaranteed analysis.

#### **Product Information:**

- Product code96110 50 lb. Pellet
- UPC 7-22304-48565-8

## **Product Packaging:**



### **Guaranteed Analysis:**

Crude Protein	Min. 14.0%
Lysine	Min. 0.8%
Methionine	Min. 0.2%
Crude Fat	Min. 8.0%
Crude Fiber	Max. 12.0%
Acid Detergent Fiber	Max. 15.0%
Neutral Detergent Fiber	Max. 34.0%
Dietary Starch**	Max. 14.0%
Sugar*+	Max. 3.0%
Calcium	Min. 0.8%-Max. 1.3%
Phosphorus	Min. 0.6%
Copper	Min. 80 PPM
Selenium	Min. 0.6 PPM
Zinc	Min. 280 PPM
Vitamin A	Min. 3,000 IU/LB
Vitamin D	Min. 300 IU/LB
Vitamin E	Min. 125 IU/LB
Biotin	Min. 0.45 MG/LB

<sup>\*</sup>NSC (Non-structural Carbohydrates) = Dietary Starch + Sugar

<sup>†</sup> Denotes possible regional variations