


GROWTH HORSE FEED

The textured feed for foals, growing horses, and broodmares.

SUPPORTS SOUND DEVELOPMENT AND GROWTH / EASES WEANING TRANSITIONS



MINIMUM FEEDING RATE

Recommended minimum feeding rates are found by matching the expected mature body weight and the status of the horse in the table below.

EXPECTED MATURE BODY WEIGHT	250 lb	500 lb	1,000 lb	1,500 lb	2,000 lb
NURSING FOAL (1-4 Months)	1.0	2.0	4.0	6.0	8.0
NURSING FOAL (4-6 Months)	1.5	2.5	5.0	7.5	10.0
WEANLING (6-12 Months)	2.0	3.5	7.0	10.5	14.0
YEARLING (12-24 Months)	1.5	3.0	6.0	9.0	12.0
PREGNANT MARE (Entire Gestation)	1.5	3.0	6.0	9.0	12.0
LACTATING MARE (1-3 Months)	3.0	6.0	12.0	18.0	24.0
LACTATING MARE (3-6 Months)	2.5	4.5	9.0	13.5	18.0

MINIMUM POUNDS OF FEED PER DAY

Amount can be increased if extra body weight is needed. If your feeding rates fall below these minimum amounts, please consider changing to ProElite® Grass Advantage or ProElite® Alfalfa Advantage. Feed hay/pasture at a rate of 1-1.5% of body weight daily. Salt should be available free choice. Fresh clean water should be available at all times. Store feed in a clean, dry, well-ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals. Consult with a veterinarian for a recommended diet.

GUARANTEED ANALYSIS

Crude Protein (min.)	.16.00%
Lysine (min.)	.1.00%
Methionine (min.)	.0.55%
Threonine (min.)	.0.80%
Tryptophan (min.)	. 0.25%
Crude Fat (min.)	. 9.00%
Omega-3 Fatty Acids (min.)	.0.80%
Omega-6 Fatty Acids (min.)	.2.50%
Crude Fiber (max.)	
Acid Detergent Fiber (max.)	
Neutral Detergent Fiber (max.)	
Dietary Starch (max.)	. 11.00%
Sugars (max.)	
Calcium (min.)	. 1.10%
Calcium (max.)	.1.60%
Phosphorus (min.)	. 0.60%
Magnesium (min.)	
Potassium (min.)	.1.00%
Sulfur (min.)	.0.20%
Copper (min.)	
Selenium (min.)	
Selenium (max.)	
Zinc (min.)	
Iron (min.)	. 200 ppm
Manganese (min.)	
lodine (min.)	
Cobalt (min.)	
Vitamin A (min.)	
Vitamin D (min.)	
Vitamin E (min.)	
Riboflavin (min.)	•
Thiamine (min.)	
Biotin (min.).	
Ascorbic Acid (min.)	
Saccharomyces Cerevisiae (min.)	
Total Microbial Count* (min.)	
Protease (Bacillus Subtilis)** (min.)	
Alpha-Amylase (Bacillus Licheniformis)*** (min.)	. 250 U/lb

10 000/

INGREDIENTS

Whole Oats, Wheat Middlings, Dehulled Soybean Meal, Cane Molasses, Soybean Hulls 8.00%, Soybean Oil, Dehydrated Alfalfa Meal, Dried Plain Beet Pulp 5.00%. Ground Limestone, Flaxseed, Salt, Magnesium Oxide, Monocalcium Phosphate, Dicalcium Phosphate, DL-Methionine, L-Threonine, L-Lysine, Active Dry Yeast, Propionic Acid (a Preservative), Yeast Culture, Choline Chloride, Vitamin E Supplement, Iron Amino Acid Complex, Sodium Bicarbonate, Sodium Sulfate, Sodium Citrate (with Ascorbic Acid, Citric Acid and Sodium Metabisulfite as Preservatives), Brewers Dried Yeast, Vitamin D3 Supplement, L-Tryptophan, Dried Bacillus Subtilis Fermentation Product, Anise Seed, Dried Bacillus Licheniformis Fermentation Product, Dried Kelp, Hydrolyzed Yeast, Ferrous Sulfate,

Manganese Amino Acid Complex, Zinc Sulfate, Zinc Amino Acid Complex, Lignin Sulfonate, Copper Amino Acid Complex, Cobalt Glucoheptonate, Dried Trichoderma Reesei Fermentation Product, Manganese Sulfate, Ascorbic Acid, Biotin, Copper Sulfate, Dried Lactobacillus Acidophilus Fermentation Product, Dried Lactobacillus Casei Fermentation Product, Dried Bifidobacterium Thermophilum Fermentation Product, Dried Enterococcus Faecium Fermentation Product, Folic Acid, Selenium Yeast, Sodium Selenite, Thiamine Mononitrate, Vitamin A Acetate, Riboflavin Supplement, Cobalt Sulfate, Ethylenediamine Dihydroiodide, Vitamin B12 Supplement, Niacin Supplement, d-Calcium Pantothenate, Pyridoxine Hydrochloride.

Contains a source of live (viable) naturally occurring microorganisms.
*Bacillus subtilis, Bacillus licheniformis, Trichoderma reesei, Lactobacillus

acidophilus, Lactobacillus casei, Bifidobacterium thermophilum, Enterococcus faecium

**One protease unit liberates 1 μ mol of tyrosine per minute under the conditions of the assay.

***One Thermostable Amylase Unit (TAU) is the quantity of enzyme converting 1.0 mg of starch (100% of dry matter) per minute in standardized conditions.

PROELITEHORSEFEED.COM